

Quick Couplers



- Precision brass design
- Unrestricted free flow
- 4000 PSI max



- Zinc plated
- Hardened steel
- 4000 PSI max



- Chemical resistant
- 303 stainless steel
- 4000 PSI max



- Chemical resistant
- 303 stainless steel
- 4000 PSI max

Brass Couplers, designed for 4,000 PSI and extended durability. Affordable and rugged all in one.

Part No.	Description
2-2000	1/4" FPT
2-2002	3/8" FPT
2-20180	1/2" FPT

Part No.	Description
2-2001	1/4" MPT
2-2003	3/8" MPT
2-20181	1/2" MPT

Steel Nipples, hardened steel combined with zinc yellow chromate plating holds up to the harshest environments.

Part No.	Description
2-2004	1/4" FPT
2-20040	1/4" x 1/8" FPT
2-2006	3/8" FPT
2-2018	1/2" FPT

Part No.	Description
2-2005	1/4" MPT
2-2007	3/8" MPT
2-2017	1/2" MPT

Stainless Steel Couplers, made of 303 stainless steel, these are "built to last".

Part No.	Description
2-2000SS	1/4" FPT
2-2002SS	3/8" FPT

Part No.	Description
2-2001SS	1/4" MPT
2-2003SS	3/8" MPT

Stainless Steel Nipples, provide extra long life and protection against corrosion.

Part No.	Description
2-20041	1/4" FPT
2-20061	3/8" FPT

Part No.	Description
2-20051	1/4" MPT
2-20071	3/8" MPT

Parker Quick Couplers



- Best name in the industry
- High quality brass construction
- 3500 PSI



- Prevents accidental disconnecting
- Reduces liability
- 3500 PSI



- Hardened steel
- Zinc plated
- The industry leader
- 3500 PSI

Parker Brass Couplers are built to stringent standards to provide a durable, safe connection.

Part No.	Description
2-2000P	1/4" FPT
2-2002P	3/8" FPT

Part No.	Description
2-2001P	1/4" MPT
2-2003P	3/8" MPT

Parker Safety Lock Couplers provide maximum safety and eliminates accidental disconnection.

Part No.	Description
2-20000	1/4" FPT
2-20020	3/8" FPT

Part No.	Description
2-20010	1/4" MPT
2-20030	3/8" MPT

Parker Steel Quick Coupler Nipples, are hardened and zinc plated to provide superior durability.

Part No.	Description
2-2004P	1/4" FPT
2-2006P	3/8" FPT

Part No.	Description
2-2005P	1/4" MPT
2-2007P	3/8" MPT

O-Rings



O-Rings for AP, Hansen, Foster, Parker, and other quick-coupler brands. Buna to 210°F, HNBR, EPDM to 280°F and Viton to 300°F and aggressive chemicals.

Part No.	Description
075033	1/8" QC EPDM
2-01193	1/4" QC EPDM
2-01213	3/8" QC EPDM
ORE114	1/2" QC EPDM
2-0119	1/4" QC HNBR
2-0121	3/8" QC HNBR

Part No.	Description
075034	1/4" QC Buna
075036	3/8" QC Buna
075038	1/2" QC Buna
075042	1/4" QC Viton
2-011900	3/8" QC Viton
2-012100	1/2" QC Viton

Hansen Quick Connective Couplers



Built by the company that invented Quick Connective Couplers in 1915. Designed and built to perform even in the toughest pressure washing applications.



- Precision performance
- Unrestricted bore for free flow
- Resists plug deformation when pressure spikes occur and withstands pump pulse

Pressure Rating Service

Series	w/Steel Plug PSI	w/Brass Plug PSI	w/Stainless Steel PSI
1/8"	2,600	2,500	4,200
1/4"	5,500	5,200	6,700
3/8"	3,500	2,700	5,500
1/2"	2,700	2,200	3,000
3/4"	1,700	1,700	1,700

Part No. - MPT	Part No. - FPT	Description
331010	331011	1/8" Brass Coupler Socket
331015	331016	1/4" Brass Coupler Socket
331020	331021	3/8" Brass Coupler Socket
331025	331026	1/2" Brass Coupler Socket
331045	331044	3/4" Brass Coupler Socket
331012		1/8" SS Coupler Socket
	331017	1/4" SS Coupler Socket
	331413	3/8" SS Coupler Socket
	331031	1/2" SS Coupler Socket
331110	331111	1/8" Plugs, Steel, Zinc-plated
331115		1/4" Plugs, Steel, Zinc-plated
	331116	1/4" Plugs, Steel, Zinc-plated
331120		3/8" Plugs, Steel, Zinc-plated
	331121	3/8" Plugs, Steel, Zinc-plated
331125		1/2" Plugs, Steel, Zinc-plated
	331126	1/2" Plugs, Steel, Zinc-plated
331127		3/4" Plugs, Steel, Zinc-plated
	331144	3/4" Plugs, Steel, Zinc-plated
331117		1/4" Plugs, Hardened SS
	331118	1/4" Plugs, Hardened SS
331122		3/8" Plugs, Hardened SS
	331123	3/8" Plugs, Hardened SS
331112		1/2" Plugs, Hardened SS
	331113	1/2" Plugs, Hardened SS

Twist Seal Couplers

Allows U.S. Standard Hoses to Connect to European (22mm) Fittings.

- Internal O-ring seal
- Machined brass body
- High-impact plastic knob
- 7.8 GPM
- 3600 PSI
- 302°F



Part No.	Description
2-2110	1/4" FPT
2-2113	3/8" FPT
2-21100	1/4" MPT
2-21131	3/8" MPT

Plugs are made of heavy-duty machined brass for a safe and leak free connection.



Part No.	Description
2-2112	1/4" FPT
2-2114	3/8" FPT
2-2116	1/4" MPT
2-2115	3/8" MPT

O-rings, viton

Part No.	Description
109286	O-rings (Viton)

Double Quality Twist Seal Couplers



Couples U.S. Standard Pipe Threads to 22mm European Fittings Found on Imported Pressure Washer.

- Internal O-ring with back ring seal assures no-leak operation
- Oversized high-impact plastic knob
- Machined brass body
- 7.8 GPM
- 4000
- 302°F
- 3.9 to 4.2 oz weight



Sockets

Part No.	Description
331205PA	1/4" FPT
331207PA	3/8" FPT
331209PA	1/2" FPT



Plugs

331204PA	1/4" MPT
331206PA	3/8" MPT
331208PA	1/2" MPT

Part No.	Description
331305PA	1/4" FPT
331307PA	3/8" FPT
331309PA	1/2" FPT
331304PA	1/4" MPT
331306PA	3/8" MPT
331308PA	1/2" MPT



O-rings

Part No.	Description
109286	O-rings (Viton)
109287	Back Ring

11,000 PSI Quick Couplers

Snaptite Quick Sockets and Plugs are precision built for extreme high pressure.

- 11,000 PSI max
- -40°F to 250°F
- Must be used with 11,000 PSI socket or plug
- Zinc Chromate
- Used on equipment of 4000 PSI and above



Part No.	Description
2-20023	1/4" FPT Socket
2-200231	1/4" MPT Socket
2-20021	3/8" FPT Socket
2-20024	1/4" FPT Plug
2-20028	1/4" MPT Plug
2-20022	3/8" FPT Plug
2-20027	3/8" MPT Plug

Replacement "U" Packing Seals

2-0132	1/4" Snaptite
2-01321	3/8" Snaptite

Double Shut-Off Couplers & Plugs



331501

331401

- Quick disconnect without drips and leaks
- Indispensable for in-plant multiple station systems
- Machined construction brass, zinc plated steel or stainless steel

Part No.	Description	PSI
331401	1/8" FPT Socket (Brass)	3000
331405	1/4" FPT Socket (Brass)	2700
331406	3/8" FPT Socket (Stl Zinc)	3700
331407	3/8" FPT Socket (Brass)	2200
331408	1/2" FPT Socket (Brass)	2250
331409	1/2" FPT Socket (SS)	4250
331410	3/4" FPT Socket (Brass)	2000
331501	1/8" FPT Plugs (Brass)	3000
331505	1/4" FPT Plugs (Brass)	2700
331507	3/8" FPT Plugs (Brass)	2200
331508	1/2" FPT Plugs (Brass)	2250



- Nitrile up to 210°F
- Use Viton for 230°F and above

Replacement O-rings

ORN013	O-ring 1/8" Nitrile
ORN110	O-ring 1/4" Nitrile
ORN112	O-ring 3/8" Nitrile
ORN114	O-ring 1/2" Nitrile
ORV110	O-ring 1/4" Viton
ORV112	O-ring 3/8" Viton
ORV114	O-ring 1/2" Viton

Two-Gun Tee Coupler



Two-Gun Tee Coupler makes switching from one gun to two a snap. 3/8" quick coupler fittings good up to 4000 PSI.



- For use with dual gun systems
- Couples onto outlet nipple
- 3/8" couplers

Part No.	Description
2-2014	Two Gun Splitter

Hose Clamps

Warning: Low pressure use only! Not for use on pressure washer discharge hose.



- Stainless steel band and housing
- Worm gear tensions



- Nylon "Speedi-Clamp" tightens with a snap
- Releases with a twist

Part No.	Band	OD	Min - Max
2-9000	4mm	5/16"	.25 - .63
2-9002	5mm	5/16"	.38 - .88
358013	10mm	5/16"	.50 - 1.06
358015	H8	1/2"	.44 - .91
358018	H10	1/2"	.56 - 1.06
2-9004	H12	1/2"	.69 - 1.25
2-90041	H16	1/2"	.75 - 1.50
2-9007	H24	1/2"	1.06 - 2.00
358024	H32	1/2"	1.56 - 2.50

- 358001X*** 1/4" ID Speedi-Clamps
- 358004X*** 3/8" ID Speedi-Clamps
- 358006X*** 1/2" ID Speedi-Clamps

*50 Pack

Spring Clamps



Spring tension, speed mount clamps

Part No.	Description
2-9040	Spring clamps - .46 - .54
2-9041	Spring clamps - .40 - .48

Swivels - Right Angle



- 360° swivel rotation
- 3/8" MPT inlet/outlet
- 4000 PSI - Brass
- 5000 PSI - SS

Part No.	Description
421018	Swivel - Stainless Steel 3/8"
421020	Swivel - Brass 3/8"
421019	Swivel - Brass 1/2"
075130	Repair Kit - 3/8"
075128	Repair Kit - 1/2"

90° Swivels

Excellent for Carwash Booms and Hose Reels. Remarkable value, comparable to best swivels made.



- Forged Brass Body
- 4000 PSI
- 225°F

Part No.	Description
421043	3/8" M x 3/8" F
421044	3/8" F x 3/8" F
421045	1/2" M x 1/2" F
421046	1/2" F x 1/2" F
421047	1/2" M x 3/8" F
110025	Repair Kit

Swivels



- Swivels even at 3000 PSI
- Brass housing
- Stainless steel flow-through bolt
- Close tolerance fit assures leakproof seal
- Teflon® ring provides free swivel

Part No.	Description
421010A*	3/8" MPT x FPT
421012A*	3/8" FPT x FPT
421014	3/8" MPT x FPT, Brass
421015	3/8" FPT x FPT, Brass
109198	Seal Kit
109199	Rebuild Kit

*Long Body Style

Stainless Steel High Pressure & Economy Brass Swivels



2-11059, 2-1106

- 10.5 GPM (SS)
- 7.8 GPM (brass)
- 320°F (SS)
- 195°F (brass)

- Highly resistant to harsh chemicals
- "Live" swivel at full pressure
- 6 oz weight



421009

Part No.	Description
2-11059	Swivel - 1/4" M x F
2-1106	Swivel - 3/8" M x F
421009	3/8" M x F
109542	Repair Kit

Gun Swivel



Made of corrosion-resistant material and stainless steel self-lubricated bearings the new gun swivel offers highest quality Swiss made craftsmanship.



- 4000 PSI
- 250°F
- 30 RPM

Part No.	Description
421057	Gun Swivel DGV - 1/4" NPTF
421056	Gun Swivel DVG - 3/8" NPTF

Stainless Steel Swivels



- Swivels even at 4000 PSI
- 200°F
- All stainless construction
- Teflon® swivel ring
- Rebuildable
- 3/8" in and out

Part No.	Description
421016	3/8" MPT x FPT
421017	3/8" FPT x FPT
109198	Seal Kit
109199	Rebuild Kit

Swivels - Ball Bearing



Swivels freely even at maximum pressure level noted below.



- MPT x FPT all sizes
- Brass and Stainless Steel materials

Part No.	Description	PSI
421004	1/4"	2000
421005	1/4"	3500
421006	3/8"	2000
421007	3/8"	3500
421080	1/4" 90°	3500
075060	Repair Kit	

Swivels - Stainless Steel Ball Bearing



- Hardened stainless steel body
- Nitrile Buna seals
- 3500 PSI
- 180°F
- M x F NPT thread
- Ball-bearing design ensures free swivel action under pressure
- Suitable for extended wear application

Part No.	Description
421034	1/4"; 6.8 GPM
421036	3/8"; 10.6 GPM
421038	1/2"; 27.0 GPM
076101	Repair Kit for 421036
076102	Repair Kit for 421034
076103	Repair Kit for 421038

Adapters - Brass



Part No.	FPT x MPT
140651	1/8" x 1/8"
2-11031	1/4" x 1/8"
2-1103	1/4" x 1/4"
140650	3/8" x 1/8"
2-1101	3/8" x 1/4"
2-11020	3/8" x 3/8"
2-11011	1/2" x 1/4"
2-1102	1/2" x 3/8"
2-1100	1/2" x 1/2"
140660	3/4" x 1/2"
140662	3/4" x 3/4"

Bushings - Brass



Part No.	MPT x FPT
2-1072	1/4" x 1/8"
2-1074	3/8" x 1/4"
2-1076	1/2" x 1/4"
2-1077	1/2" x 3/8"
2-1080	3/4" x 3/8"
2-1081	3/4" x 1/2"

Hex Couplings - Brass



Part No.	FPT
2-1013	1/8"
2-1014	1/4"
2-1015	3/8"
2-1016	1/2"
2-1017	3/4"

Reducing Hex Couplings - Brass



Part No.	Description
2-1095	1/4" x 1/8" F
2-1097	3/8" x 1/4" F
2-1098	1/2" x 1/4" F
2-1099	1/2" x 3/8" F
2-11010	3/4" x 1/2" F

Hex Double Nipples - Brass



Part No.	Description
2-1001	1/8" x 1/8" M
2-1003	1/4" x 1/4" M
2-1005	3/8" x 3/8" M
2-1007	1/2" x 1/2" M
2-1009	3/4" x 3/4" M
140764	1" x 1" M

Hex Reducing Nipples - Brass



Part No.	Description
2-1055	1/4" x 1/8" M
2-1056	3/8" x 1/8" M
2-1057	3/8" x 1/4" M
140757	1/2" x 1/4" M
2-1058	1/2" x 3/8" M
2-1059	3/4" x 1/2" M

Copper Tubing Connectors



2-1118



2-1116

Part No.	Description	Material
2-1117	1/4" Tube x 1/8" MPT	Brass
2-1118	1/4" Tube x 1/4" MPT	Brass
2-1116	1/4" Tube x 1/8" MPT, 90° Elbow	Brass

Plastic Dip Tube Assembly



- New Style Plastic dip tubes
- Rubber bushing seal ordered separately

Part No.	Description
2-010062	MPG, VHW, MVP, HS, 7.5"
2-010063	PHWS, OHW, HOT, 12"
2-010064	Skids, 17.75"
2-010061	Rubber bushing

Copper Fuel Dip Tubes



"Old Style"

Part No.	Description	Material
2-10881	PHW Fuel, 12"	Brass
2-10882	HS Fuel, 6.5"	Brass
2-10883	VHW Fuel, 7.5"	Brass
2-10884	MHP Fuel, 17"	Brass

JIC Nipples - Brass



2-1053



2-10632

Part No.	Description
2-1051	1/2" JIC x 1/4" MPT
2-1052	1/2" JIC x 3/8" MPT
2-1053	1/2" JIC x 1/2" MPT
2-1054	1/2" JIC x 3/4" MPT
2-10632	1/2" JIC x 1/2" FPT
2-10633	1/2" JIC x 3/8" FPT
2-10634	1/2" JIC x 1/4" FPT
2-10635	1/2" JIC x 3/4" FPT
2-10636	3/4" JIC x 3/4" Pipe MPT
2-10941	1/2" JIC x 3/4" GHF

Nipples - Brass



Part No.	Description
2-1000	1/8" Close
2-1002	1/4" Close
2-1004	3/8" Close
2-1006	1/2" Close
2-1008	3/4" Close
140703	1/8" x 1-1/2"
140705	1/8" x 2-1/2"
140711	1/4" x 1-1/2"
140712	1/4" x 2"
140713	1/4" x 2-1/2"
140721	3/8" x 1-1/2"
140723	3/8" x 2-1/2"
140724	3/8" x 3"
140731	1/2" x 1-1/2"
140733	1/2" x 3"
140742	3/4" x 2"
140744	3/4" x 3"

90° Reducing Elbows - Brass



Part No.	Description
2-10410	1/4" F x 1/8" F
140577	3/8" F x 1/4" F



140583	1/4" x 1/8" MPT
140582	3/8" x 1/8" MPT
140585	3/8" x 1/4" MPT
140587	1/2" x 3/8" MPT

90° Elbows - Brass



Part No.	Description
140552	1/8" FPT
2-1018	1/4" FPT
2-1019	3/8" FPT
2-1020	1/2" FPT
2-1021	3/4" FPT
140584	1/4" x 1/4" MPT
140586	3/8" x 3/8" MPT
140588	1/2" x 1/2" MPT

Street Elbows - Brass



Part No.	Description
2-10215	1/8" M x F - 90°
2-1022	1/4" M x F - 90°
2-1023	3/8" M x F - 90°
2-1024	1/2" M x F - 90°
2-1025	3/4" M x F - 90°



140632	1/8" M x F - 45°
2-10260	1/4" M x F - 45°
2-1026	3/8" M x F - 45°
2-1027	1/2" M x F - 45°
140642	3/4" M x F - 45°

Extruded or Forged Tees - Brass



Part No.	Description
140852	1/8" F
2-1030	1/4" F
2-1031	3/8" F
2-1032	1/2" F
2-1033	3/4" F

Male Branch Tees - Brass



Part No.	Description
2-1037	1/4"
2-1038	3/8"
140879	1/2"

Street Tees - Brass



Part No.	Description
2-1040	1/4"
2-1041	3/8"
2-1042	1/2"
140890	3/4"

Female Crosses - Brass Extruded



Part No.	Description
140664	1/4"
2-1034	3/8"
2-1035	1/2"
140672	3/4"

Check Hose Barbs



- 1/4" MPT X 1/4" barb
- Brass body
- Buna or Viton check ball

Part No.	Description
385128	Check Hose Barb - Viton
385129	Check Hose Barb - Buna

Push-On - Brass Swivel



2-1105

Part No.	Description
2-11062	1/4" Barb x 1/4" JIC Fem
2-1105	1/2" Barb x 1/2" JIC Fem
2-11050	3/4" Barb x 3/4" JIC Fem

Hose Barbs - Brass



Barb x Barb

Part No.	Description
	Barb x Barb
2-10891	1/4" x 1/4"
2-10864	3/8" x 3/8"
140208	1/2" x 1/2"
140210	5/8" x 5/8"
140212	3/4" x 3/4"



90° Barb x MPT

	90° Barb x MPT
2-1088	1/4" x 1/8"
2-1089	1/4" x 1/4"
2-10892	3/8" x 1/4"
140372	3/8" x 3/8"
140374	3/8" x 1/2"
140375	1/2" x 1/4"
140376	1/2" x 3/8"
140377	1/2" x 1/2"
140379	5/8" x 3/8"
140384	5/8" x 1/2"



Barb x MPT

	Barb x MPT
140350	1/8" X 1/4"
2-1084	1/4" X 1/8"
2-1085	1/4" x 1/4"
2-1086	1/4" x 3/8"
140361	1/4" x 1/2"
140351	3/8" x 1/8"
2-10871	3/8" x 1/4"
2-10862	3/8" x 3/8"
140356	3/8" x 1/2"
140353	3/8" x 3/4"
140363	1/2" x 1/4"
140359	1/2" x 3/8"
140362	1/2" x 1/2"
140364	1/2" x 3/4"
2-10860	5/8" x 3/8"
2-10861	5/8" x 1/2"
140366	5/8" x 3/4"
140367	3/4" x 1/2"
140368	3/4" x 3/4"
2-11063	1/4" x fits Honda oil drain



2-11063

Push-N-Lock Barbs

Part No.	Barb x MPT	Part No.	Barb x MPT
140252	1/4" x 1/8"	2-1108	1/2" x 3/8"
140254	1/4" x 1/4"	2-1107	1/2" x 1/2"
140255	1/4" x 3/8"	140264	1/2" x 3/4"
140256	3/8" x 1/8"	140265	5/8" x 3/8"
140257	3/8" x 1/4"	140266	5/8" x 1/2"
140258	3/8" x 3/8"	140267	5/8" x 3/4"
140259	3/8" x 1/2"	2-11080	3/4" x 1/2"
140260	3/8" x 3/4"	2-11081	3/4" x 3/4"
140261	1/2" x 1/4"		

Swivel Hose Barbs - Low Pressure



- 300 PSI
- 210°F
- Brass MPT base with steel hose barb
- Swivel easily at low pressure to eliminate twists and tangles in chemical or water lines

Part No.	Description
140079	1/4" x 1/4"
140081	3/8" x 3/8"
140083	1/2" x 1/2"

Orificed Hose Barb



- Inexpensive way to create suction on inlet side of pump
- Used in-line from float tank to pump
- One-piece machined brass
- 3/8" MPT x 5/8" barb
- Standard orifice 5/32" – Drill up to 3/8" to fit your need

Part No.	Description
140320	Orificed Hose barb

Drain Cocks



Part No.	Description
140125	1/4" Fuel Drain w/Tee Handle
140127	1/4" Fuel Drain w/Barb & Tee Handle

Hex Head Plugs



Part No.	Description
140802	1/8"
140804	1/4"
2-1047	3/8"
2-1048	1/2"
2-1049	3/4"

Hex Socket Head Plugs



Part No.	Description
2-1044	1/8"
2-1046	1/4"
140806A	3/8"
2-10461	1/2"

Pipe Thread Hex Nuts



Part No.	Description
140062	1/8"
140064	1/4"
2-1082	3/8"
2-1083	1/2"
140070	3/4"

Garden Hose Fittings

- MGH = Male Garden Hose
- FGH = Female Garden Hose
- Heavy-duty Machined Brass Fittings

Part No.	Description
Swivel Fittings	
140050	3/4" FGH x 1/4" MPT
2-10943	3/4" FGH x 3/8" MPT
140056	2-10942 3/4" FGH x 1/2" MPT
2-1093	3/4" FGH x 1/2" FPT (S-1)
2-1094	3/4" FGH x 3/4" FPT (S-2)
140055	3/4" FGH x 3/4" FGH (S-3)
140002	3/4" FGH x 1/2" Barb
140004	3/4" FGH x 5/8" Barb
140054	140006 3/4" FGH x 3/4" Barb

Part No.	Description
Garden Hose Quick Couplers	
331040	Female Hose Coupler
331140	Male Hose Plug

Part No.	Description
Garden Hose Accessories	
140020	Garden Hose Washer
2-1902	Filter Screen Washer (30 mesh)

Part No.	Description
Solid Fittings	
2-1091	3/4" MGH x 3/8" MPT
2-1092	3/4" MGH x 1/2" MPT
2-10922	3/4" MGH x 3/4" MPT
140028	3/4" FGH x 1/2" FPT
140030	3/4" FGH x 3/4" FPT
140038	2-10921 3/4" FGH x 1/2" MPT
2-10920	3/4" FGH x 3/4" MPT
140026	3/4" FGH X 3/4" FGH (SS)

Part No.	Description
Hose Barb Fittings	
140301	3/8" Barb x 3/4" MGH
140303	1/2" Barb x 3/4" MGH
140305	5/8" Barb x 3/4" MGH
140307	3/4" Barb x 3/4" MGH
140317	3/8" Barb x 3/4" FGH
140319	1/2" Barb x 3/4" FGH
140321	5/8" Barb x 3/4" FGH
140323	3/4" Barb x 3/4" FGH

Teflon® Thread Sealing Tape



- Big 1/2" x 520" roll
- Mil - spec #T27730

Part No.	Description
2-9021	Thread Sealing Tape

Zinc Plated Heavy Wall Steel Pipe Fittings

- Up to 6000 PSI working pressure (18000 PSI burst)
- Attractive zinc-plated protective coating
- US standard taper pipe threads

Adapters



Part No.	MPT x FPT	PSI
142404	1/4" x 1/4"	6000
2-0069	1/4" x 3/8"	6000
2-0047	3/8" x 3/8"	6000
2-0071	3/8" x 1/2"	5000
142408	1/2" x 1/2"	5000
2-0072	1/2" x 3/4"	4000
142412	3/4" x 3/4"	4000

Coupling Hex



Part No.	FPT x FPT	PSI
2-0022	1/4" x 1/4"	6000
2-0023	3/8" x 3/8"	6000
2-0024	1/2" x 1/2"	5000
2-0025	3/4" x 3/4"	5000
142416	3/8" x 1/4"	6000
142418	1/2" x 3/8"	5000
142419	1/2" x 1/4"	5000
142421	3/4" x 1/2"	4000

Close Nipple - Hex



Part No.	MPT x MPT	PSI
2-0004	1/4" x 1/4"	6000
2-0006	3/8" x 3/8"	6000
2-0008	1/2" x 1/2"	6000
142434	3/4" x 3/4"	6000
2-0018	3/8" x 1/4"	6000
142428	1/2" x 1/4"	6000
2-0019	1/2" x 3/8"	6000
142431	3/4" x 1/2"	6000

Street Elbow



Part No.	MPT x FPT	PSI
2-0030	1/4" x 1/4"	5000
2-00301	1/4" x 3/8"	4500
2-0031	3/8" x 3/8"	4500
2-00271	3/8" x 1/2"	3000
2-0032	1/2" x 1/2"	3000
142443	1/2" x 3/4"	3000
142444	3/4" x 3/4"	3000

JIC x Pipe Nipples



Part No.	MPT x FPT x MPT
2-00501	1/2" JIC x 1/4" FPT
2-00510	1/2" JIC x 3/8" FPT
2-0051	1/2" JIC x 3/8" MPT
2-0052	1/2" JIC x 1/2" MPT

Elbow



Part No.	FPT x FPT	PSI
142504	1/4" x 1/4"	5000
142505	1/4" x 3/8"	4500
2-0027	3/8" x 3/8"	4500
142507	3/8" x 1/2"	3000
2-0028	1/2" x 1/2"	3000
142509	1/2" x 3/4"	4000
2-0029	3/4" x 3/4"	4000

Street Tee



Part No.	MPT x FPT x MPT	PSI
2-0044	1/4"	5000
2-0045	3/8"	4500
2-0046	1/2"	3000
142687	3/4"	3000

Tee - 3 Connects



Part No.	FPT	PSI
2-0034	1/4"	5000
2-0035	3/8"	4500
2-0036	1/2"	3000
142662	3/4"	3000

Cross - 4 Connects



Part No.	FPT	PSI
142664	1/4"	5000
2-0038	3/8"	4500
2-0039	1/2"	3000
2-1040	3/4"	3000

Reducing Bushing



Part No.	MPT x FPT	PSI
2-00682	3/8" x 1/4"	6000
142678	1/2" x 1/4"	6000
2-00681	1/2" x 3/8"	6000
142682	3/4" x 1/2"	6000

Pipe Plugs - Hex



Part No.	MPT	PSI
142701	1/4"	6000
2-0048	3/8"	6000
2-0049	1/2"	6000
2-00491	3/4"	6000

Pipe Nipple - Zinc



Part No.	Length x MPT	Working PSI
142800	2" x 1/4"	6000
142801	3" x 1/4"	6000
142802	4" x 1/4"	6000
142803	2" x 3/8"	6000
142804	3" x 3/8"	6000
142805	4" x 3/8"	6000
142806	2" x 1/2"	6000

Part No.	Length x MPT	Working PSI
142807	3" x 1/2"	6000
142808	4" x 1/2"	6000
142808T	5" x 1/2"	6000
142810	2" x 3/4"	6000
142811	3" x 3/4"	6000
142812	4" x 3/4"	6000
142813	6" x 3/4"	6000

Galvanized Pipe Fittings

- Pressed steel fittings - external galvanized for excellent chemical resistance
- Ideal for supply line (city water pressure) applications (working pressure rating 125 PSI)

NOT recommended for high pressure piping applications

Pipe Street Elbows



Part No.	MPT x FPT
142604	1/4"
142606	3/8"
142608	1/2"
142610	3/4"

Pipe Tees



Part No.	FPT x FPT x FPT
142854	1/4"
142856	3/8"
142858	1/2"
142868	3/4"

Merchant Coupling



Part No.	FPT x FPT
142454	1/4"
142456	3/8"
142458	1/2"

Banded Coupling



Part No.	FPT x FPT
142754	1/4"
142756	3/8"
142758	1/2"
142760	3/4"

90° Elbows



Part No.	FPT x FPT
142552	1/4"
142556	3/8"
142558	1/2"
142560	3/4"

“The Big One”



Larger, heavier, and with more filtering area than competitors' filters



- Corrosion-resistant plastic
- Stepped 1/4" & 3/8" hose barb
- Weighted to hold onto bottom of tank

Part No.	Description
340025	With Check Valve
340026	Without Check Valve

Brass Chemical Filter



50 mesh stainless steel screen. Removable mesh for easy cleaning. Heavy-duty one-piece brass body holds the filter on the bottom of tank.



- 1/4" hose barb
- Stainless steel check ball

Part No.	Description
2-1905	With Check Valve
2-1907	Without Check Valve

Plastic Chemical Strainer



Polypropylene and Brass Construction



- 7mm hose barb

Part No.	Description
340014	with Check Valve
2-1904	without Check Valve

Inline ClearView Filter



347091

347092

347093

- Clear plastic cover
- Integrated garden hose connector
- 8 GPM, 150 PSI
- Strongest see-through filter on the market

Part No.	Inlet	Outlet	Bypass
347091	3/8" MPT	3/4" GH	
347093	3/8" MPT	3/4" GH	1/4"
347090	1/2" MPT	3/4" GH	
347092	1/2" MPT	3/4" GH	1/4"

Green-Cap Inline Filter



The Original Green-Cap!



- 6 GPM
- 40 mesh stainless screen
- Diecast metal housing/ plastic cap
- 1/2" FPT inlet
- 1/2" MPT outlet
- Two 1/4" side ports
- 145 PSI

Part No.	Description
2-1908	Green Cap Filter
1-10016776	Replacement Screen
1-10016651	Replacement Cap

All Metal Line Filter



- Die-cast aluminum body and cover
- 38 mesh screen
- 6.6 GPM
- 170 PSI
- 195°F
- 1/2" Female x Male

Part No.	Description
342030	All Metal Line Filter (Black Anodized Finish)
109343	Replacement Filter

Line Filters



- 1/2" Female x Male
- 50 mesh screen
- 8 GPM
- 145 PSI
- 140°F
- Unbreakable reinforced nylon cap

Part No.	Description
342026	Filter
2-1923	With Auxiliary (bypass) Port
12-28030656	Replacement Screen

Clear Bowl Filters



- Low profile style
- MPT inlet & outlet
- White nylon body
- Clear bowl
- Stainless steel screen
- L 3", W 1-3/4", H 2-3/8"

Part No.	Description
342012	1/4", 40 Mesh Screen
342013	1/4", 80 Mesh Screen
342014	3/8", 40 Mesh Screen
342015	3/8", 80 Mesh Screen
342016	1/2", 40 Mesh Screen
342017	1/2", 80 Mesh Screen
078214	80 Mesh Replacement Screen
078215	40 Mesh Replacement Screen

Inline Can-Type Filters & Parts



- 40 or 80 mesh filtration
- Heavy-duty molded plastic with stainless steel screen
- Hanger tab standard on 3/8", 1/2" and 3/4"
- Choose black or clear filter cans

Part No.	Description
----------	-------------

40 Mesh Filters

342105	Black, 3/8"
342110	Black, 1/2"
342115	Black, 3/4"
342120	Black, 1"
342150	Black, 1-1/4"
342155	Black, 1-1/2"
342106	Clear, 3/8"
342111	Clear, 1/2"
342116	Clear, 3/4"
342123	Clear, 1"
342151	Clear, 1-1/4"
342156	Clear, 1-1/2"

80 Mesh Filters

342112	Black, 1/2"
342117	Black, 3/4"
342122	Black, 1"
342158	Black, 1-1/4"
342147	Black, 1-1/2"
342113	Clear, 1/2"
342118	Clear, 3/4"
342125	Clear, 1"
342159	Clear, 1-1/4"
342149	Clear, 1-1/2"

Inline Can-Type Filter Parts - 3/8", 1/2", 3/4"

078202	Gasket
078204	Viton Gasket
078207	Bowl - Standard Black
078208	Bowl - Clear
078216	40 Mesh Screen
078220	80 Mesh Screen
078223	3/8" Top with Tab
078224	1/2" Top with Tab
078225	3/4" Top with Tab

Inline Can-Type Filter Parts - 1", 1-1/4", 1-1/2"

078203	Gasket
078205	Viton Gasket
078217	40 Mesh Screen 1"
078233	40 Mesh Screen 1-1/4"
078234	40 Mesh Screen 1-1/2"
078221	80 Mesh Screen 1"
078237	80 Mesh Screen 1-1/4"
078238	80 Mesh Screen 1-1/2"
078226	1" Filter Top
078227	1-1/4" Filter Top
078228	1-1/2" Filter Top
078230	Bowl Black - 1", 1-1/4", 1-1/2"
078231	Bowl Clear - 1", 1-1/4", 1-1/2"

Y-Trap Strainer



- Brass bodies & cap
- FPT inlet & outlet
- Stainless steel 50 mesh cylinder screen
- 170 PSI
- 194°F

Part No.	Description
342004	1/4"
342006	3/8"
342007	1/2"
342008	3/4"
342009	1"

NOTE: Replacement Screen/Gasket Kits Available

Check / Foot Valve

Includes backflow check and perforated screen, prevents damage to pump or control valves.



- Removable stainless steel screen
- Spring-loaded check valve
- Cast brass bodies
- FPT outlet

Part No.	Description
310882	1/2" Foot Valve/ Check & Screen
310883	3/4" Brass Spring Check Valve
310884	1" Brass Spring Check Valve
310886	1-1/2" Brass Spring Check Valve
310888	2" Brass Spring Check Valve

ST35 / 35R Suction Foot Valve



- Stainless steel screen
- Combination 1/2" 3/4" hose barb
- Weighted to hold at bottom of tank or source

Part No.	Description
342021	With Check Valve
342020	Without Check Valve

Tank Screen / Strainer



- Stainless steel screen – 40 or 50 mesh
- PVC base – attaches to nipple or tubing
- Use for tank drain or chemical line

Part No.	Mesh	FPT
342304	50	1/4"
342306	50	3/8"
2-1906	40	1/2"
342308	50	1/2"
342311	40	3/4"
342312	50	3/4"
342316	40	1"
342320	40	1-1/2"

High Pressure Nozzle Filters



2-99071



2-990712



342042



347098

- 1/4" MPT outlet
- 300°F
- 100 mesh screen
- 5000 PSI

Part No.	Material	Inlet	Outlet
2-99071	Brass	1/4" FPT	1/4" MPT
342042	Brass	1/4" QC	1/4" MPT
2-990712	416 SS	1/4" QC	1/4" MPT
347098	Brass	1/4" MPT	1/4" MPT

High Volume Filter & Parts

Molded Plastic Housing



- 3/4" FPT inlet & outlet
- 125 PSI
- 12 GPM max flow at 50 Micron
- 10 GPM max flow at 5 or 20 Micron
- Clear-View sump
- 14-1/2" tall x 5-1/2" port to port

Part No.	Description
342375	Housing Only

Mounting Bracket / Hardware



- Allows secure, solid wall mounting
- Bright zinc-plated
- (4) screws included

Part No.	Description
565375X	Mounting Bracket/Hardware

Ultra Fine Filter Elements



- Pleated polyester/polypropylene core
- Recommended for large flow, low pressure applications (up to 60 PSI)

Part No.	Description
342380	5 Micron, 10 GPM
342382	20 Micron, 10 GPM
342384	50 Micron, 12 GPM

Synthetic String Wound Elements



- Recommended for maximum filtration with reduced flow requirements (up to 130 PSI)

Part No.	Description
342387	5 Micron, 4 GPM
342389	20 Micron, 5 GPM
342391	50 Micron, 6 GPM

Landa Fuel Filter / Water Separator



2-9905

- Removes water from fuel
- Replace elements w/o tools
- 15 micron element
- 1/4" FPT inlet and outlet
- Filters gasoline and diesel fuel

Part No.	Description
2-9905	Filter, Fuel/Water Separator
2-99051	Replacement Element, Fuel/Water Separator
2-99052	Replacement Element, Fuel/Water Sep - Heavy-duty
2-99053	Kit, O-Rings & Drain Plug
2-99054	Kit, O-Rings, Drain Plug, Cup
2-99055	Plug, Vent, Fuel/Water Separator - Plastic

Fuel Filters

Inline – disposable



341002

- Designed for gasoline filtering



2-99031

Part No.	Description
2-99031	1/4" In/Out, Plastic
341002	1/4" In/Out, Metal
341003	3/8" In/Out, Plastic

Inline Fuel Filter



- 1/4" hose barb ends
- Multi brand application

Part No.	Description
2-9903	Disposable, mini

Clear Bowl Fuel Filter



- Aluminum Housing
- Clear Acrylic Bowl
- 120 Mesh SS Screen
- 1/4" x 1/4"

Part No.	Description
341013	Complete Unit

General Fuel Filters



- Can type
- 10 GPH
- 10 micron filtration
- 1/4" FPT inlet/outlet
- Inexpensive replacement
- Wool felt element
- UL & CSA listed

Part No.	Description
341015	Filter Unit
341017	Element

Racor Filter Funnel



- 3.9 GPM
- Teflon Coated, Stainless Steel Filter
- Separates free water and contaminates from gasoline/diesel/kerosene

Part No.	Description
341044	Racor Filter Funnel